

**[BUMS 0125]**

**Sub. Code : 1224**

THE TAMIL NADU DR. M.G.R. MEDICAL UNIVERSITY

KAMIL-E-TIB WA JARAHAT

SECOND PROFESSIONAL B.U.M.S. DEGREE COURSE

JANUARY 2025

PAPER IV - ILMUL SAIDLA WA MURAKKABAT

(Unani Pharmacy and Compound Drugs)

PAPER II - ADVIA MURAKKABAT (Compound Drugs)

Q.P.Code : 621224

(New Regulation)

Time : Three hours

Maximum : 100 marks

(Theory : 80 marks)

MCQ : 20 marks)

Answer All questions.

Choose one correct answer in the box provided in the Answer Script.

No overwriting should be done.

I. Multiple Choice Questions

(20 × 1 = 20)

1. معجون فنجوش کا جزء اعظم کیا ہے؟

- (A) پودینہ  
(B) خبث الحدید  
(C) فنجوش  
(D) بادرنجبویہ

2. معجون حمل عنبری کا جزء اعظم ہے:

- (A) دندان فیل  
(B) عنبر  
(C) اصل السوس  
(D) جائفل

3. تریاق اربعہ کا موقع استعمال ہے:

- (A) بارد سموم  
(B) بار دامراض  
(C) قولنج  
(D) مذکورہ بالا سبھی

4. جواہر مہرہ کس کی مخصوص دوا ہے؟

- (A) مقوی قلب  
(B) اورام بطن  
(C) مقوی اعضاء رئیسہ  
(D) مذکورہ بالا سبھی

5. برشعشا کا جزء اعظم کیا ہے؟

- (A) اجوائن خراسانی  
(B) بیروج  
(C) عاقرقرا  
(D) افیون

6. لبوب کبیر کا جزء اعظم کیا ہے؟

- (A) عنبر  
(B) مغز سر کنجشک  
(C) زعفران  
(D) مذکورہ بالا سبھی

7. سفوف مقلیثا کا جزء خاص کیا ہے؟

- (A) مصطکی  
(B) ہالون  
(C) تخم کتاں  
(D) زیرہ

8. اطریفیل غدودی کا جزء خاص کیا ہے؟

- (A) بکری کے غدہ لمفاویہ  
(B) گائے کے غدہ لمفاویہ  
(C) بھینس کے غدہ لمفاویہ  
(D) کوئی نہیں

9. دیدان امعاء کے لئے کونسی دوا مخصوص طور پر مستعمل ہے؟

- (A) رُب السوس  
(B) اطریفیل ملیین  
(C) گلقتند  
(D) معجون تلخ دیدان

10. معجون فلاسفہ کا جزء اعظم کیا ہے؟

- (A) حب صنوبر  
(B) حب النیل  
(C) حب القلت  
(D) حب القلب

11. کونسی دواء سمن مفرط کے لئے خصوصاً استعمال کی جاتی ہے؟

- (A) سفوف مقلیاثا (B) سفوف طین  
(C) سفوف مہزل (D) سفوف ست گلو

12. گلقد سیوطی استعمال ہوتا ہے:

- (A) مقوی قلب (B) دافع وحشت  
(C) دافع خفقان (D) مذکورہ بالا سبھی

13. سیال فضہ کا جزء اعظم کیا ہے؟

- (A) نوشادر (B) برادہ چاندی  
(C) کبریت (D) دھناب

14. لعوق بادام کس مرض کی خاص دواء ہے؟

- (A) سعال یابس (B) سعال بلغمی  
(C) ضیق النفس (D) مقوی دماغ

15. مندرجہ ذیل ادویہ میں سے کونسی لعوق کتاں کا جزء نہیں ہے؟

- (A) بادام (B) تخم السی  
(C) شہد (D) مذکورہ کوئی نہیں

16. مندرجہ ذیل ادویہ مرکبہ میں کونسی سعال کے لئے مفید ہے؟

- (A) رب السوس (B) شربت توت سیاہ  
(C) گلقد (D) شربت اعجاز

17. سکنجبین لفظ کا موجد کون ہے؟

- (A) ثابت بن قرہ (B) ابن بيطار  
(C) فیثا غورس (D) اکبر ارزانی

18. مندرجہ ذیل ادویہ میں کونسی دواء حلوائے سپاری پاک میں شامل نہیں ہے؟

(A) تخم فوفل (B) سپاری

(C) سہاگہ (D) پنبہ دانہ

19. مندرجہ ذیل ادویہ میں کونسی دواء شربت اعجاز میں شامل نہیں ہوتی؟

(A) سوٹھ (B) اڑوسہ

(C) صمغ عربی (D) اصل السوس

20. عرق برنجاسف کس کے لئے خصوصاً مستعمل ہوتی ہے؟

(A) اورام احشاء (B) اورام مفاصل

(C) اورام اغشیہ (D) اورام عضلات

**[BUMS 0725]**

**Sub. Code : 1224**

THE TAMIL NADU DR. M.G.R. MEDICAL UNIVERSITY  
KAMIL-E-TIB WA JARAHAT  
SECOND PROFESSIONAL B.U.M.S. DEGREE COURSE  
JULY 2025 (SUPPLEMENTARY EXAM)  
PAPER IV - ILMUL SAIDLA WA MURAKKABAT  
(Unani Pharmacy and Compound Drugs)  
PAPER II - ADVIA MURAKKABAT (Compound Drugs)  
Q.P.Code : 621224 (UNIUG-ISM)  
(New Regulation)

Time : Three hours

Maximum : 100 marks

(Theory : 80 marks)

MCQ : 20 marks)

Section - A

Answer All questions.

Draw diagram wherever necessary

Choose one correct answer in the box provided in the Answer Script.

No overwriting should be done.

I. Multiple Choice Questions (20 × 1 = 20)

1. Sanun mujalli is :

- |                  |              |
|------------------|--------------|
| (A) Majun        | (B) Surma    |
| (C) Tooth powder | (D) Qaitooti |

2. Main ingredient of Qurs musallas :

- |                  |             |
|------------------|-------------|
| (A) Sandal Surkh | (B) Afiyun  |
| (C) Amla         | (D) Azaraqi |

3. Main ingredient of Qurs Dawaul shifa :

- |             |            |
|-------------|------------|
| (A) Dhatura | (B) Asrol  |
| (C) Azaraqi | (D) Kafoor |

4. Main action of Qurs Alkali

- |                    |                 |
|--------------------|-----------------|
| (A) Anti-flatulent | (B) Headache    |
| (C) Ishal          | (D) Hypotension |

5. Uses of Qairooti Ard karana
 

|                             |                             |
|-----------------------------|-----------------------------|
| (A) Headache                | (B) Zat-ur-Riya (pneumonia) |
| (C) Zat-ur-Janab (pleurisy) | (D) Both B & C              |
6. Qairooti is applied on :
 

|              |              |
|--------------|--------------|
| (A) Forehead | (B) Chest    |
| (C) Abdomen  | (D) Nostrils |
7. Raughan Amla main action is :
 

|                     |                |
|---------------------|----------------|
| (A) Muqawwi sha'ar  | (B) Musakkin   |
| (C) Musawwid sha'ar | (D) Both A & C |
8. Raughan Sam'at kusha used in :
 

|              |              |
|--------------|--------------|
| (A) Headache | (B) Deafness |
| (C) Mullayan | (D) Fever    |
9. Main action of Kushta Hajrul yahud is :
 

|                    |              |
|--------------------|--------------|
| (A) Mufattit hisat | (B) Musakkin |
| (C) Mudir baul     | (D) Muhallil |
10. Kushta Qalai recommended dose is :
 

|                 |             |
|-----------------|-------------|
| (A) 125-250 mg  | (B) 1-2 gm  |
| (C) 10-20 drops | (D) 5-10 ml |
11. Main ingredient of Marham Dakhilyun :
 

|            |             |
|------------|-------------|
| (A) Kafur  | (B) Luaabat |
| (C) Zangar | (D) Hina    |
12. Dose of Halwa-e-Baiza-e-Murgh :
 

|                |                       |
|----------------|-----------------------|
| (A) 30-60 gm   | (B) 2-5 gm            |
| (C) 100-200 gm | (D) None of the above |
13. Action of Halwa-e-Baiza-e-Murgh:
 

|                   |                      |
|-------------------|----------------------|
| (A) Muqawwi Qalb  | (B) Muqawwi Dimagh   |
| (C) Muqawwi Gurda | (D) All of the above |

14. Full form of TKDL is :
- (A) Traditional knowledge of digital library
  - (B) Traditional knowledge of Delhi library
  - (C) Traditional knowledge of doctor library
  - (D) Traditional knowledge of Delhi laboratory
15. Dose of Arq Badyan :
- (A) 100-120 ml
  - (B) 5-10 ml
  - (C) 10-20 ml
  - (D) 5-10 drops
16. Dose of Sharbat Aijaz :
- (A) 2-5 ml
  - (B) 25-50 ml
  - (C) 100-150 ml
  - (D) 10-20 drops
17. Dose of Sayyal Faulad is :
- (A) 20 ml
  - (B) 10 ml
  - (C) 50 drops
  - (D) 5 drops
18. Main ingredient of Sharbat Dinar :
- (A) Tukhm kasoos
  - (B) Mako
  - (C) Zafran
  - (D) Gul-e-Surkh
19. Main action of Sharbat Ahmad Shahi :
- (A) Muqawwi Dimag
  - (B) Muqawwi Qalb
  - (C) Mushil Sauda
  - (D) All of the above
20. 1 tar/string of Qiwan is required for :
- (A) Lauq
  - (B) Sharbat
  - (C) Majun
  - (D) Itrifal
-

**[BUMS 1225]**

**Sub. Code : 1224**

THE TAMIL NADU DR. M.G.R. MEDICAL UNIVERSITY

KAMIL-E-TIB WA JARAHAT

SECOND PROFESSIONAL B.U.M.S. DEGREE COURSE

DECEMBER 2025

PAPER IV - ILMUL SAIDLA WA MURAKKABAT

(Unani Pharmacy and Compound Drugs)

PAPER II - ADVIA MURAKKABAT (Compound Drugs)

Q.P.Code : 621224 (UNIUG-ISM)

(New Regulations 2021)

Time : Three hours

Maximum : 100 marks

(Theory : 80 marks)

MCQ : 20 marks)

Section - A

Answer All questions.

Draw diagram wherever necessary

Choose one correct answer in the box provided in the Answer Script.

No overwriting should be done.

I. Multiple Choice Questions (20 × 1 = 20)

1. Bayaz means :

- (A) Compendium or Basic documentary
- (B) Whiteness or blank book
- (C) List or registry
- (D) None of the above

2. Ingredient of Habb suranjan except :

- |               |                 |
|---------------|-----------------|
| (A) Sibr zard | (B) Halela zard |
| (C) Suranjan  | (D) Kafoor      |

3. Ingredient of raughan Hafta barg except :

- |                   |                   |
|-------------------|-------------------|
| (A) Barg sahajna  | (B) Barg bakain   |
| (C) Barg sambhalu | (D) Barg gaozaban |

4. Sikanjabeen is a type of :  
 (A) Majoon (B) Sharbat  
 (C) Laooq (D) Gulqand
5. Chief Ingredient of Arq Maullaham :  
 (A) Kasni (B) Goat meat  
 (C) Badiyan (D) Halela
6. Afa'al (action) of Arq Badiyan :  
 (A) Muqavvi-e-Meda (B) Musaffi-e-Dam  
 (C) Mudir (D) Munawwim
7. Afa'al (action) of Sayyal Faulad :  
 (A) Muwallid-e-Dam (B) Musaffi-e-Khoon  
 (C) Munawwin (D) Dafe
8. Therapeutic Use (Istemal) of Sharbat Bazoori Sada is :  
 (A) Renal Stone (B) Zofe Meda  
 (C) Sual (D) Tashannuj
9. Afa'al (action) of Sharbat Ijaz :  
 (A) Dafe Sual (B) Munaffis  
 (C) Dafe Humma (D) All
10. Therapeutic Use (Istemal) of Sayyal Kibreet is :  
 (A) Zofe Aasaab (B) Zofe Aam  
 (C) Afoonat-e-Dam (D) Tashannuj
11. Chief ingredient of Sharbat Deenar :  
 (A) Badiyan (B) Kasoos  
 (C) Makoh (D) Banafsha
12. Afa'al (action) of Arq Branjasif :  
 (A) Muhallil (B) Mulayyan  
 (C) Munawwim (D) Muqawwi

13. Afa'al (action) of Sharbat Anjabar :
- (A) Muqawwi (B) Habis Dam  
(C) Mulayyan (D) Mudir
14. Therapeutic use of Laooq Sapistan
- (A) Suaal (B) Zofe Meda  
(C) Hisate Kulliya (D) Zofe Aam
15. Afa'al (action) of Sikanjabeen Sada
- (A) Dafe Qai (B) Humma Safaravi  
(C) Quenching of thirst (D) All
16. Therapeutic use of Sikanjabeen Bazoori is :
- (A) Ihtibase Baul (B) Zofe Aasab  
(C) Zofe Meda (D) Qabz
17. Consistency of Laooq is in between :
- (A) Sharbat & Sikanjabeen (B) Sharbat & Majoon  
(C) Habb & Qurse (D) All
18. Specific Murakkab for Malancholia is :
- (A) Sharbat Aloo Baloo (B) Sharbat Ijaz  
(C) Sharbat Ahmed Shahi (D) Arq Makoh
19. Muwallide Dam Murakkab :
- (A) Arq Maulleham (B) Sharbat Faulad  
(C) Sayyal Faulad (D) All
20. Murakkab Works on Nizame Hazm is :
- (A) Sharbat Banafsha (B) Sharbat Anjabar  
(C) Arq Badiyan (D) Arq Shahtra
-